

THE FREQUENCY OF ONE-DAY ABNORMAL RETURNS AND PRICE FLUCTUATIONS IN THE FOREX

Guglielmo Maria Caporale*
Brunel University London, CESifo and DIW Berlin

Alex Plastun
Sumy State University

Viktor Oliinyk
Sumy State University

Revised, June 2021

Abstract

This paper analyses the explanatory power of the frequency of abnormal returns in the FOREX for the EURUSD, GBRUSD, USDJPY, EURJPY, GBPCHE, AUDUSD and USDCAD exchange rates over the period 1994-2019. Abnormal returns are detected using a dynamic trigger approach; then the following hypotheses are tested: their frequency is a significant driver of price movements (H1); it does not exhibit seasonal patterns (H2); it is stable over time (H3). For our purposes a variety of statistical methods (both parametric and non-parametric) are applied including ADF, Phillips and Perron and KPSS tests, Granger causality tests, correlation analysis, (multiple) regression analysis, Probit and Logit regression models. No evidence is found of either seasonal patterns or instability. However, there appears to be a strong positive (negative) relationship between returns in the FOREX and the frequency of positive (negative) abnormal returns. On the whole, the results suggest that the latter is an important driver of price dynamics in the FOREX, is informative about crises and can be the basis of profitable trading strategies, which is inconsistent with market efficiency.

Keywords: *FOREX, anomalies, price dynamics, frequency of abnormal returns*

JEL classification: G12, G17, C63

*Corresponding author. Department of Economics and Finance, Brunel University, London, UB8 3PH.

Email: Guglielmo-Maria.Caporale@brunel.ac.uk

We would like to thank an anonymous referee for useful comments and suggestions. The second-named author also gratefully acknowledges financial support from the Ministry of Education and Science of Ukraine (0117U003936).

1. Introduction

The FOREX is one of the most liquid (with \$6 tn daily turnover) and efficient financial markets (Oh et al., 2006; Serbinenko and Rachev, 2009, Kallianiotis, 2017). Nevertheless, several studies have attempted to detect anomalies in the behaviour of exchange rates such as abnormal returns with the associated contrarian or momentum patterns (Parikakis and Syriopoulos, 2008; Caporale et al., 2018), and also investigated whether they can be used as an early warning indicators for financial crises (e.g., the East Asian and the Russian crises of the 1990s, the Dotcom bubble of 1997-2001, and the global financial crisis of 2007-8). The various methods used include price trends and persistence analysis, trade volumes and price volatility analysis, correlation between assets etc. (Granger and Newbold, 1986; Bremer et al, 1997; Eross et al, 2019).

The present paper takes instead a different approach to analyse the explanatory power of the frequency of abnormal returns; this issue has been previously examined in the case of stock markets (Angelovska, 2016; Caporale and Plastun, 2019) and cryptocurrency markets (Caporale et al., 2019), but not in that of the FOREX, which is the focus of this study.

The main novelty of this paper is the use of the frequency of abnormal returns as a useful source of information about price movements in the FOREX market. Abnormal returns are detected using a dynamic trigger approach. Then the following hypotheses are tested: (i) their frequency is a significant driver of price movements (H1); (ii) it does not exhibit seasonal patterns (H2); (iii) it is stable over time (H3). For our purposes a variety of statistical methods (both parametric and non-parametric) are applied including ADF, Phillips and Perron and KPSS tests, Granger causality tests, correlation analysis, (multiple) regression analysis, Probit and Logit regression models. Although some related work had already been carried out by Caporale and Plastun (2019) and Caporale et al. (2019) for stock prices and cryptocurrencies, the present paper is a much more extensive investigation which yields more thorough results for an issue which to date had been virtually unexplored in the case of the FOREX market. In particular, the empirical analysis adds Probit and Logit regression models as well as a number of diagnostic tests including Lilliefors's test, the Durbin–Watson's test, White's test, Ramsey's Regression Equation Specification Error Test (RESET) and Chow's test. Also, it examines the additional issue of stability (see H3 above).

The remainder of the paper is organised as follows. Section 2 contains a brief review of the relevant literature. Section 3 describes the methodology. Section 4 discusses the empirical results. Section 5 offers some concluding remarks.

2. Literature Review

There exists an extensive literature investigating one-day abnormal price changes. Various explanations have been suggested for their occurrence. For instance, Govindaraj et al. (2014) and Jin et al. (2012) examined the role of new information, noise or liquidity trades. Bartos (2015) argued that new information is immediately absorbed without significant price effects. The most popular explanations rely on cognitive traps and biases (Barberis, Shleifer and Vishny, 1998), as well as emotions and psychological aspects of trading and investment (Daniel et al., 1998, Griffin and Tversky, 1992; Madura and Richie, 2004). Aiyagari and Gertler (1999) and Hong and Stein (1999) see their roots in the presence and activity of "noise" traders. Duran and Caginalp (2007) argued that abnormal returns result from the use of technical and fundamental analysis by investors for decision-making. Other studies have considered the impact of market liquidity (Jegadeesh and Titman, 1993), news (Kocenda and Moravcova, 2018) etc.

Abnormal price changes can generate different price patterns. Atkins and Dyl (1990) and Bremer et al. (1997) found contrarian effects (price reversals) after large price changes. By contrast, Cox and Peterson (1994) did not detect a negative correlation between abnormal returns on the day prices fall and the following three days. Schnusenberg and Madura (2001) and Lasfer et al. (2003) provided evidence of momentum effects. Savor (2012) and Govindaraj et al. (2014) found both effects in the US stock market (momentum effects when analysts issue revisions or price reversals after large daily price shocks).

Various other studies also analyse some of the implications of abnormal returns. For instance, Pritamani and Singhal (2001) showed that information about large price changes can be used to design profitable trading strategies. Govindaraj et al. (2014) also found that a trading strategy based on these effects can generate significant excess returns. Similar conclusions were reached by Caporale et al. (2018), who tested price effects after abnormal price returns in different financial markets; they showed that the reversal effect is exploitable in the stock market, whilst the momentum effect produces profits in the case of the FOREX and commodity markets. By contrast, Cox and Peterson (1994) and Lasfer et al. (2003) argued that trading strategies based on price patterns after one-day abnormal returns can hardly be profitable because of the presence of trading costs and the relatively small size of price reversals. According to Sandoval and Franca (2012), abnormal price changes can also be informative about future price movements and be used as a crisis identifier.

There is a much smaller literature on the FOREX market and how prices behave in response to various types of shocks. Some contributions are event studies (Chuck et al., 1990). Others analyse the impact of news. For instance, Kocenda and Moravcova (2018) found that prices in FOREX react not only after, but also before news releases. Andersen et al. (2003) reported that bad news have a greater impact than good news. Price predictability in the FOREX was analysed by Lyons (1995) and Evans and Lyons (2002), who found that order flows can explain exchange rate movements much more effectively than fundamentals. Wan and Kao (2009) explored contrarian effects in the FOREX, and Chelley-Steeley and Tsorakidis (2013) carried out a bid-ask spread analysis to detect the most attractive currency pair for speculators. The evolution of trading rule profits was explored by Olson (2004).

Typically abnormal returns are analysed in the case of stock markets (Atkins and Dyl, 1990; Cox and Peterson, 1994; Bremer et al. 1997; Govindaraj et al., 2014; Sandoval and Franca, 2012; Angelovska, 2016 and many others) or cryptocurrency markets; in particular, Caporale and Plastun (2019) and Caporale et al. (2019) showed that the frequency of abnormal returns can provide useful information in the case of the cryptocurrency markets. Much less evidence is available for the FOREX, which is the focus of the present paper. An exception is the study carried out by Parikakis and Syriopoulos (2008), who investigated patterns following excess one-day fluctuations for various currencies and found that a contrarian strategy is profitable in the FOREX market. In comparison to Caporale and Plastun (2019) and Caporale et al. (2019) the present study estimates a much wider set of models and carries out various additional diagnostic tests with the aim of obtaining a more thorough picture in the case of the FOREX market, for which this type of analysis had not been previously carried out. In addition, it also explores the issue of whether or not the frequency of abnormal returns is stable over time, thus shedding new light on the empirical relevance of the Adaptive Expectations Hypothesis.

3. Methodology

To analyse the frequency of abnormal returns and their role as drivers of price dynamics we use daily and monthly data for the main exchange rates, specifically for EURUSD, GBRUSD, USDJPY, EURJPY, GBPCHF, AUDUSD and USDCAD over the period 03.01.1994-28.05.2019; the data source is Yahoo! Finance (<https://finance.yahoo.com>). In order to provide a comprehensive analysis of the FOREX market we choose the most liquid exchange rates, namely EURUSD, GBRUSD and USDJPY, as well as two leading “commodity currencies” and some cross-rates, namely EURJPY and GBPCHF.

There are two main approaches to detecting abnormal returns, namely a static one (which uses a specific threshold as an abnormal price criterion, as in Bremer and Sweeney, 1991) and a dynamic one (which is based on relative values – normally abnormal returns are defined on the basis of the number of standard deviations to be added to the average return as in Caporale and Plastun, 2018). Since they can perform rather differently depending on the dataset (Caporale et al., 2018) the first step is to choose the most appropriate method for the data in hand.

Returns (namely, the percentage price change over the period of interest) are defined as:

$$R_t = (P_t - P_{t-1})/P_{t-1}. \quad (1)$$

where R_t stands for returns, and P_t and P_{t-1} are the close prices of the current and previous day. The static approach introduced by Sandoval and Franca (2012) and developed by Caporale and Plastun (2019) is based on creating histograms with values 10% above or below those of the population; thresholds are then obtained for both positive and negative abnormal returns, and periods can be identified when returns were above or equal to the threshold. The choice of the threshold for detecting abnormal returns is driven by the need to have a sufficient number of observations for the analysis to be carried out.

In the dynamic trigger approach (Wong, 1997; Caporale et al., 2018) abnormal price changes are defined by the following inequality:

$$R_i > (\bar{R}_n + k \times \delta_n) \quad (2)$$

and negative abnormal price change are defined as:

$$R_i < (\bar{R}_n - k \times \delta_n) \quad (3)$$

where k is the number of standard deviations used to identify them (specifically, $k=1$), \bar{R}_n is the average size of daily returns for period n and δ_n is the standard deviation of daily returns for period n

Both procedures (static and dynamic) generate a data set for the frequency of abnormal returns (at a monthly frequency), which is then divided into 4 subsets including respectively the frequency of negative and positive abnormal returns, the difference between them and the overall frequency of abnormal returns (positive as well as negative).

Then the following hypotheses are tested:

- (i) the frequency of abnormal returns is a significant driver of price movements (H1),

- (ii) it does not exhibit seasonal patterns (H2),
- (iii) it is stable over time (H3).

To test H1, we regress monthly returns (and any observed momentum or contrarian effects) against the frequency of abnormal returns over a 1-month period; specifically we estimate the following regressions:

$$Y_t = a_0 + a_1 F_t^+ + a_2 F_t^- + \varepsilon_t \quad (4)$$

where Y_t – returns on day t ;

a_0 – mean return;

a_1 (a_2) – coefficients on the frequency of positive and negative abnormal returns respectively;

F_t^+ (F_t^-) – the number of positive (negative) abnormal returns days during a period t ;

ε_t – Random error term at time t .

$$Y_t = b_0 + b_1 F_t^{\text{delta}} + \varepsilon_t \quad (5)$$

b_1 – coefficient on the delta frequency;

F_t^{delta} – the difference between the number of positive (negative) abnormal returns days during a period t .

As an alternative, Logit and Probit regressions are run. These are binary choice models producing estimates of the probability that the dependent variable will take the value 1 depending on the values of the regressors. In a Logit regression, it is assumed that the probability of event y being equal to 1 is given by $P\{y = 1|x\} = f(z)$, where $f(z) = \frac{1}{1 + \exp(-z)}$ - is the logistic function, and the parameter z is determined on the basis of regression (6).

$$z_t = a_0 + a_1 F_t^+ + a_2 F_t^- + \varepsilon_t \quad (6)$$

where z_t is a binary value equal to 1 if the return on day t increased compared to day $t-1$; otherwise, this value is 0.

a_0 – constant.

If the probability predicted by the model $P(x) > 0.5$, then the dependent variable is equal to 1, whilst $P(x) \leq 0.5$ - implies that it is equal to 0. The Probit regression is based on the assumption that the variable under investigation is normally distributed.

The size, sign and statistical significance of the coefficients provide information about the possible effects of the frequency of abnormal returns on returns in the FOREX. A number of diagnostic tests are also carried out; these include Lilliefors's test, Durbin-Watson's test, White's test, Ramsey's Regression Equation Specification Error Test (RESET) and Chow's test. Table 1 specifies the null hypothesis in each case.

[Insert Table 1 about here]

To test H2 and H3 we perform both parametric (ANOVA analysis) and non-parametric (Kruskal-Wallis) tests.

4. Empirical Results

As a first step, one needs to choose between the static and dynamic approaches to calculate abnormal returns. For this purpose the EURUSD exchange rate is used. Table 2 reports the correlation coefficients between the two sets of results.

[Insert Table 2 about here]

As can be seen, in the case of the frequency delta parameter the correlation is rather high; however, the other correlation coefficients imply a sizeable difference between the static and dynamic results. To choose between the two, we focus on the correlation between the frequency of abnormal returns and both close prices and returns. The results are reported in Table 3.

[Insert Table 3 about here]

As can be seen the frequency of abnormal returns is correlated only with monthly returns, and consequently only these will be used to test the hypotheses of interest; further, the dynamic approach produces higher correlations for the frequency of negative and positive abnormal returns, and therefore will be used in the remainder of the analysis to detect abnormal returns. Finally, since the overall frequency of abnormal returns does not appear to be informative about price dynamics, only the frequency of negative and positive abnormal returns, and the frequency delta, will be used.

ADF tests (Dickey and Fuller, 1979) carried out on the series of interest (see Appendix C, Tables C.1-C.7) imply a rejection of the unit root null in all cases (i.e., stationarity). As a robustness check we have also carried out the Phillips and Perron (Phillips and Perron, 1988) and Kwiatkowski et al. (KPSS, 1992) tests. The results are presented in Appendix C, Tables C.1-C.7, and confirm the stationarity of the series. Table 4 reports the correlation coefficients for the number of negative and positive abnormal returns, as well as the frequency delta between the number of positive and negative abnormal returns and monthly returns.

[Insert Table 4 about here]

As can be seen, there is negative (positive) correlation between the frequency of negative (positive) abnormal returns and price dynamics in the FOREX, and the frequency delta has the highest (positive) correlation coefficient, which implies that this variable is the most informative about price movements.

As a further check, we carry out cross-correlation analysis also at the time intervals t and $t+i$, where $I \in \{-10, \dots, 10\}$. Figures D.1-D.7 reports the cross-correlation between returns and the frequency of (both positive and negative) abnormal returns for the whole sample period for different leads and lags. The highest coefficient corresponds to lag length zero, which means that there is no need to shift the data.

Additional evidence is provided by Granger causality tests (Granger, 1969) between returns in the FOREX and the frequency of abnormal returns (both positive and negative, and also for their

delta). The results are presented in Appendix G, Table G.1. As can be seen, the null hypothesis of no causality cannot be rejected in any case (the single exception is USDJPY).

The next step is to test H1 by running a number of simple linear regressions for returns against the frequency of negative and positive abnormal returns and the delta frequency, as well as regressions with dummy variables (see Section 3 for details). The results are presented in Appendix E, Tables E.1-E.7. As can be seen, all the regressors are statistically significant. Both actual and estimated values are plotted in Figures H.1-H.7. The latter appear to capture well the behaviour of the former. Various diagnostic tests for the models from Tables E.1-E.7 are reported in Table 5, and suggest that the estimated models have the appropriate functional form and their residuals are not autocorrelated. The model for the EURUSD exchange rate passes all tests, but there is evidence of non-normality of the residuals in the case of EURJPY, USDJPY, GBPCHF, and both heteroscedasticity of residuals and unstable parameters are present in the models for GBRUSD, AUDUSD and USDCAD.

[Insert Table 5 about here]

The best specifications for the linear regression models with the frequency of positive and negative abnormal returns as regressors (as indicated by the R-square for the whole model and the p-values for the estimated coefficients) are presented in Table 6.

[Insert Table 6 about here]

The Logit and Probit regression results for the case of price closes are presented in Appendix F, Tables F.1-F.7. These two models produce broadly similar results (with some slight differences in the estimated parameters) and their explanatory power ranges between 73.9% and 76.3%. On the whole, the evidence supports H1.

Concerning H2, namely the possible presence of seasonal patterns in the frequency of abnormal returns, at first we do some visual inspection of the data. Figure 1 displays positive and negative abnormal returns and the delta frequency by month for EURUSD and provides no prima facie evidence of seasonality for the former two, while the latter appears to be negative in January and May and positive in December. Further evidence of seasonal behaviour for the delta frequency is provided by Figure 2, which shows it for all the exchange rates considered.

[Insert Figure 1 about here]

[Insert Figure 2 about here]

To see whether these seasonal differences are statistically significant we carry out ANOVA analysis and Kruskal-Wallis tests. The results at the 5% confidence level are reported in Table 7 and suggest that in most cases there are no significant seasonal patterns, which implies a rejection of H2.

[Insert Table 7 about here]

As for H3 (parameter stability), first we compute the average number of abnormal returns per year (positive+negative) based on all exchange rates considered; this is displayed in Figure 3. As can be seen, it was lower in the 1990s, and peaked in 2004 and 2008, the latter date coinciding with the global financial crisis. More detailed evidence is presented for EURUSD in Figure 4, which suggests the presence of time variation. Finally, the results of the ANOVA analysis and Kruskal-Wallis tests are reported in Table 8 and imply parameter stability, i.e. H3 cannot be rejected.

[Insert Figure 3 about here]

[Insert Figure 4 about here]

[Insert Table 8 about here]

5. Conclusions

This paper investigates the explanatory power of the frequency of one-day abnormal returns in the FOREX for the cases of EURUSD, GBRUSD, USDJPY, EURJPY, GBPCHF, AUDUSD and USDCAD over the period 1994-2019. Using a dynamic trigger approach 4 series are created, specifically the frequency of negative and positive abnormal returns, the difference between the two and the overall frequency of abnormal returns. Then the following hypotheses are tested using a variety of parametric and non-parametric methods: the frequency of abnormal returns is a significant driver of price movements (H1); it does not exhibit seasonal patterns (H2); it is stable over time (H3).

The main findings can be summarised as follows. The frequency of abnormal returns in FOREX has significant explanatory power for returns, is informative about crises (since it increases sharply at the time of a crisis), is not seasonal, and is stable over time. On the whole, our findings suggest that profitable FOREX trading strategies can be designed based on the frequency of abnormal returns, which is evidence of market inefficiency. The difference between actual and estimated returns can be seen as an indication of whether currencies are over- or under-valued and therefore a price increase or decrease should be expected. Obviously currencies should be bought in the case of undervaluation and sold in the case of overvaluation till the divergence between actual and estimated values disappears, at which stage positions should be closed.

References

- Aiyagari, S. Rao, and M. Gertler, (1999), Overreaction of Asset Prices in General Equilibrium. *Review of Economic Dynamics*, 2 (1), 3–35.
- Andersen, T. G., Bollerslev, T., Diebold, F. X., Vega, C. (2003). Micro Effects of Macro Announcements: Real-Time Price Discovery in Foreign Exchange. *American Economic Review*, 93(1), 38-62
- Angelovska J., (2016), Large share price movements, reasons and market reaction, *Management*, 21, 1-17.
- Atkins, A. B. and Dyl, E. A. (1990). “Price Reversals, Bid-Ask Spreads, and Market Efficiency,” *Journal of Financial & Quantitative Analysis* 25(4), 535–547.
- Barberis, N., A. Shleifer, and R.W. Vishny, (1998), A Model of Investor Sentiment. *Journal of Financial Economics*, 49, 307–343.
- Bartos, Jakub, (2015), Does Bitcoin follow the hypothesis of efficient market?, *International Journal of Economic Sciences*, 4, issue 2, p. 10-23.
- Bremer, M. and Sweeney, R. J. (1991). “The Reversal of Large Stock-Price Decreases.” *Journal of Finance* 46(2) (June), 747–754.
- Bremer, M., Hiraki, T., and Sweeney, R. J. (1997). “Predictable Patterns after Large Stock Price Changes on the Tokyo Stock Exchange.” *Journal of Financial and Quantitative Analysis* 32(3) (September), 345–365.
- Caporale, G. and Plastun, A. (2019), On stock price overreactions: frequency, seasonality and information content, *Journal of Applied Economics*, 22 (1), 602-621.
- Caporale, G.M., Plastun, A. & Oliinyk, V. (2019), Bitcoin fluctuations and the frequency of price overreactions. *Financial Markets and Portfolio Management*, 33 (2), 109–131.
- Caporale, G.M., Gil-Alana, L. and A. Plastun (2018), Short-term Price Overreactions: Identification, Testing, Exploitation, *Computational Economics*. Volume 51, Issue 4, pp 913–940.
- Chelley-Steeley, Patricia L., and Nikos Tsorakidis. (2013), Bid-ask spread dynamics in foreign exchange markets. *International Review of Financial Analysis*, 29, 119–31.
- Chuck C., Y. Kwok and LeRoy D. Brooks (1990), Examining Event Study Methodologies in Foreign Exchange Markets, *Journal of International Business Studies*, 21 (2), 189-224.
- Cox, D. R. and Peterson, D. R. (1994). “Stock Returns Following Large One-Day Declines: Evidence on Short-Term Reversals and Longer-Term Performance,” *The Journal of Finance* 49(1) (April), 255–267.
- Daniel, K., D. Hirshleifer, and A. Subrahmanyam, (1998), Investor Psychology and Security Market Under- and Overreactions. *Journal of Finance*, 53, 1839–1886.
- Dickey, D. A., and Fuller, W. A., (1979), Distribution for the estimates for autoregressive time series with a unit root. *Journal of the American Statistical Association*, 74, 427–31.
- Duran, A., and G. Caginalp, (2007), Overreaction Diamonds: Precursors and Aftershocks for Significant Price Changes. *Quantitative Finance*, 7(3), 321–342.

Eross, A., F. McGroarty, A. Urquhart, and S. Wolfe, (2019), The intraday dynamics of bitcoin, *Research in International Business and Finance*, 49, 71-81.

Evans, Martin D. D., and Richard K. Lyons. (2002), Order flow and exchange rate dynamics. *The Journal of Political Economy*, 10, 170–80.

Govindaraj, S., Livnat, J., Savor P. and Zhaoe Ch., (2014), Large price changes and subsequent returns. *Journal Of Investment Management*, 12 (3), 31–58.

Granger, C.W.J. and Newbold, P., (1986), *Forecasting economic time series*. 2. New York, NY: Academic Press.

Granger, C.W.J., (1969), Investigating causal relations by econometric models and cross-spectral methods. *Econometrica*, 37, 424–438.

Griffin, D., Tversky, A. (1992), The weighing of evidence and the determinants of confidence. *Cogn. Psychol*, 24, 411–435.

Hong, H., and J. C. Stein, (1999), A Unified Theory of Underreaction, Momentum Trading and Overreaction in Asset Markets. *Journal of Finance*, 54, 2143–2184.

Jegadeesh, N. and S. Titman, (1993), Returns to Buying Winners and Selling Losers: Implications for Stock Market Efficiency. *The Journal of Finance*, 48, 65–91.

Jin, W., Livnat, J., and Zhang, Y. (2012). “Option Prices Leading Equity Prices: Do Option Traders Have an Information Advantage?” *Journal of Accounting Research* 50(2) (May), 401–431.

Kallianiotis I. (2017) Exchange Rate Movement: Efficiency in the Foreign Exchange Market. *International Research Journal of Applied Finance* VIII(4), 195-213.

Kocenda E.; Moravcová, M., (2018), Intraday Effect of News on Emerging European Forex Markets: Intraday effect of news on emerging European forex markets, *Economic Systems*, 42(4), 597–615.

Kwiatkowski D, Phillips, P.C.D, Schmidt, P., Shin, Y. (1992). Testing the null hypothesis of stationarity against the alternative of a unit root: How sure are we that economic time series have a unit root?, *Journal of Econometrics*, 54, 159-178.

Lasfer, M. A., Melnik, A., and Thomas, D. C. (2003). Short-Term Reaction of Stock Markets in Stressful Circumstances, *Journal of Banking & Finance* 27(10) (October), 1959–1977.

Lyons, Richard K. (1995). Tests of the microstructure hypothesis in the foreign exchange market. *Journal of Financial Economics*, 39, 321–51.

Madura, J., Richie, N. (2004). Overreaction of exchange traded funds during the bubble of 1998–2002. *J. Behav. Finance* 5(2), 91–104.

Oh, G., Kim, S., and Eom, C., (2006). Market Efficiency in Foreign Exchange Markets. *Physica A: Statistical Mechanics and its Applications*, Volume 382, Issue 1, p. 209-212.

Olson, D. (2004), Have trading rule profits in the currency markets declined over time? *Journal of Banking and Finance*, 28, 85–105.

Parikakis, George & Syriopoulos, Theodore. (2008). Contrarian strategy and overreaction in foreign exchange markets. *Research in International Business and Finance*. 22. 319-324.

Phillips, P. and Perron, P. (1988). Testing for a unit root in time series regression, *Biometrika*, 75, 335-346.

- Pritamani, M. and Singal, V. (2001). Return Predictability Following Large Price Changes and Information Releases, *Journal of Banking & Finance* 25(4) (April), 631–656.
- Sandoval, L., and I. Franca, (2012), Correlation of financial markets in times of crisis. *Physica A: Statistical Mechanics and its Applications*, 391 (1-2), 187–208.
- Savor, P. (2012). “Stock Returns after Major Price Shocks: The Impact of Information,” *Journal of Financial Economics* 106(3) (December), 635–659.
- Schnusenberg, O. and Madura, J. (2001). “Do US Stock Market Indexes Over-or Under React?” *Journal of Financial Research* 24(2) (Summer), 179–204.
- Serbinenko, Anna & Rachev, Svetlozar. (2009). Intraday spot foreign exchange market. Analysis of efficiency, liquidity and volatility. *Investment Management and Financial Innovations*, 6, 35-45.
- Wan, Jer-Yuh & Kao, Chung-Wei, (2009), Evidence on the contrarian trading in foreign exchange markets. *Economic Modelling*, 26, 1420–1431.
- Wong, M., (1997), Abnormal Stock Returns Following Large One-day Advances and Declines: Evidence from Asian-Pacific Markets, *Financial Engineering and Japanese Markets*, 4, 71-177

Tables and Figures

Table 1: Diagnostic Tests

Tests	Null hypothesis
Lilliefors's test	Normal distribution
Durbin–Watson's test	No autocorrelation
White's test	No heteroscedasticity
Ramsey's Regression Equation Specification Error Test (RESET)	Adequate functional form
Chow's test	No structural change

This table presents data Diagnostic tests and Null hypotheses they test. The first column reports names of the tests; the second column shows Null hypothesis formulation.

Table 2: Correlation analysis of data from the static and dynamic approaches

Data	Frequency of negative abnormal returns	Frequency of positive abnormal returns	Frequency delta	Overall frequency of abnormal returns
Correlation between data on static and dynamic approaches	0.46	0.54	0.74	0.33

This table presents coefficient estimates from correlation analysis. The first column reports data used in correlation analysis: static and dynamic approach; the second column shows parameter estimates for the case of frequency of negative abnormal returns; the third column reports parameter estimates for the case of frequency of positive abnormal returns; the fourth column provides parameter estimates for the case of frequency delta and the fifth column shows parameter estimates for the case of overall frequency of abnormal returns.

Table 3: Correlation analysis of data from the static and dynamic approaches

Approach	Dynamic		Static	
Parameter/Price data	Close	Returns	Close	Returns
Frequency of negative abnormal returns	0.01	-0.56	-0.07	-0.47
Frequency of positive abnormal returns	0.04	0.59	-0.04	0.41
Frequency delta	0.02	0.76	0.03	0.79
Overall frequency of abnormal returns	0.04	-0.01	-0.07	-0.05

This table presents coefficient estimates from correlation analysis of data from the static and dynamic approaches. The first column reports approach used in correlation analysis; the second and the third columns shows parameter estimates for the case of dynamic approach with close and returns based data respectively; the fourth and the fifth columns shows parameter estimates for the case of static approach with close and returns based data respectively.

Table 4: Correlation coefficients between the frequency of abnormal returns and monthly returns

Parameter	EURUSD	GBPUSD	USDJPY	USDCAD	AUDUSD	EURJPY	GBPCHF
Frequency of negative abnormal returns	-0.56	-0.61	-0.57	-0.46	-0.63	-0.57	-0.59
Frequency of positive abnormal returns	0.59	0.49	0.50	0.61	0.38	0.36	0.33
Frequency delta	0.76	0.74	0.73	0.72	0.70	0.71	0.66

This table presents coefficient estimates from correlation analysis of frequency of abnormal returns and monthly returns. The first column reports parameter estimates used in correlation analysis: Frequency of negative abnormal returns, Frequency of positive abnormal returns, Frequency delta; the second, the third, the fourth, the fifth, the sixth, the seventh and the eighth column shows parameter estimates for the case of EURUSD, GBPUSD, USDJPY, USDCAD, AUDUSD, EURJPY and GBPCHF respectively.

Table 5: Diagnostic Tests for the Linear Regression Models

Parameter	EURUSD	GBRUSD	EURJPY	USDJPY	GBPCHF	AUDUSD	USDCAD
Lilliefors's test							
L- statistics	0.0360	0.0521	0.0581	0.0593	0.0728	0.0488	0.0468
p-value	0.44	0.05	0.02	0.01	0.00	0.08	0.11
null hypothesis	not rejected	not rejected	rejected	rejected	rejected	not rejected	not rejected
Durbin–Watson's test							
DW	1.9737	1.8693	1.9826	2.1035	2.2733	1.8577	2.0776
p-value	0.4125	0.1309	0.4435	0.8168	0.9914	0.1098	0.7688
null hypothesis	not rejected	not rejected	not rejected	not rejected	not rejected	not rejected	not rejected
White's test							
LM- statistics	7.7284	32.6237	22.6733	4.0720	2.6464	23.7661	47.7710
p-value	0.1718	0.0000	0.0004	0.5390	0.7542	0.0002	0.0000
null hypothesis	not rejected	rejected	rejected	not rejected	not rejected	rejected	rejected
Ramsey's RESET							
F- statistics	1.9172	0.4110	2.2528	0.6896	1.0326	0.3250	1.5919
p-value	0.1488	0.663	0.1069	0.503	0.357	0.7227	0.205
null hypothesis	not rejected	not rejected	not rejected	not rejected	not rejected	not rejected	not rejected
Chow's test							
F- statistics	1.2255	3.3407	2.4515	2.9437	1.2567	5.2061	9.1103
p-value	0.3006	0.0197	0.0635	0.0333	0.2894	0.0016	0.0000
null hypothesis	not rejected	rejected	not rejected	rejected	not rejected	rejected	rejected

This table presents diagnostic tests parameter estimates for regression analysis of returns against the frequency of abnormal returns. The first column reports parameter estimates used in diagnostic tests (Lilliefors's test, Durbin–Watson's test, White's test, Ramsey's RESET, Chow's test): F- statistics, p-value, null hypothesis, the second, the third, the fourth, the fifth, the sixth, the seventh and the eighth column shows parameter estimates for the case of EURUSD, GBPUSD, EURJPY, USDJPY, GBPCHF, AUDUSD and USDCAD.

Table 6: Best regression models for returns in the FOREX

Instrument	Regression with dummy variables
------------	---------------------------------

EURUSD	$return_i = -0.0035 - 0.0101 \times F_i^- + 0.0119 \times F_i^+$
GBPUSD	$return_i = 0.0029 - 0.0102 \times F_i^- + 0.0079 \times F_i^+$
USDJPY	$return_i = 0.0025 - 0.0123 \times F_i^- + 0.0109 \times F_i^+$
USDCAD	$return_i = -0.0050 - 0.0076 \times F_i^- + 0.0104 \times F_i^+$
AUDUSD	$return_i = 0.0130 - 0.0146 \times F_i^- + 0.0093 \times F_i^+$
EURJPY	$return_i = 0.0069 - 0.0144 \times F_i^- + 0.0117 \times F_i^+$
GBPCHF	$return_i = 0.0072 - 0.0115 \times F_i^- + 0.0078 \times F_i^+$

This table presents best regression models for returns in the FOREX. The first column reports instruments, the second column shows models equations for these instruments, where F_i^+ (F_i^-) – frequency of positive (negative) abnormal returns during a period i ;

Table 7: Results of ANOVA and non-parametric Kruskal-Wallis tests for statistical differences in the frequency of abnormal returns between different months

Instrument	Parameter	ANOVA test			Kruskal-Wallis test		
		F-statistics	p-value	Null hypothesis	Chi Squared test	p-value	Null hypothesis
EURUSD	Returns	1.648	0.0851	not rejected	13.8977	0.2387	not rejected
	All over	2.542	0.0044	rejected	25.026	0.0090	rejected
	Negative	2.525	0.0047	rejected	19.550	0.0519	not rejected
	Positive	0.556	0.8638	not rejected	6.8833	0.8084	not rejected
GBRUSD	Returns	1.733	0.0658	not rejected	26.521	0.0054	rejected
	All over	2.678	0.0027	rejected	28.368	0.0028	rejected
	Negative	3.146	0.0005	rejected	35.185	0.0002	rejected
	Positive	1.369	0.1870	not rejected	15.246	0.1715	not rejected
EURJPY	Returns	1.290	0.2293	not rejected	11.817	0.3775	not rejected
	All over	2.128	0.0185	rejected	22.608	0.0201	rejected
	Negative	2.355	0.0086	rejected	24.670	0.0102	rejected
	Positive	1.729	0.0667	not rejected	18.885	0.0632	not rejected
USDJPY	Returns	0.635	0.7985	not rejected	8.388	0.6782	not rejected
	All over	2.211	0.0140	rejected	20.198	0.0427	rejected
	Negative	0.919	0.5226	not rejected	12.713	0.3125	not rejected
	Positive	2.056	0.0235	rejected	19.827	0.0478	rejected
GBPCHF	Returns	1.391	0.1763	not rejected	18.865	0.0636	not rejected
	All over	0.858	0.5826	not rejected	11.571	0.3967	not rejected
	Negative	0.788	0.6518	not rejected	12.439	0.3316	not rejected
	Positive	1.039	0.4115	not rejected	13.749	0.2472	not rejected
AUDUSD	Returns	0.982	0.4630	not rejected	13.627	0.2543	not rejected
	All over	3.248	0.0003	rejected	34.741	0.0003	rejected
	Negative	1.226	0.2692	not rejected	14.342	0.2146	not rejected
	Positive	2.853	0.0014	rejected	29.822	0.0017	rejected
USDCAD	Returns	1.119	0.3455	not rejected	16.630	0.1193	not rejected
	All over	2.070	0.0225	rejected	18.512	0.0704	not rejected
	Negative	1.716	0.0694	not rejected	20.054	0.0446	rejected
	Positive	1.370	0.1863	not rejected	12.149	0.3525	not rejected

This table presents estimates from ANOVA and Kruskal-Wallis tests for statistical differences in the frequency of abnormal returns between different months. The first column reports instruments,


the second column shows data used for calculations (“Returns”; “All_over” - parameter shows estimates for the sum of the frequency of positive and negative abnormal returns; “Negative” parameter refers to the frequency of negative abnormal returns; “Positive” parameter refers to the frequency of positive abnormal returns), the third, the fourth and the fifth columns present ANOVA tests estimates: F values, p-values and Null hypothesis status respectively; the sixth, the seventh and the eighth columns present Kruskal-Wallis tests estimates: Chi Squared test, p-values and Null hypothesis status respectively.

Table 8: Results of ANOVA and non-parametric Kruskal-Wallis tests for statistical differences in the frequency of abnormal returns between different years: the case of EURUSD

Parameter	ANOVA test			Kruskal-Wallis test		
	F-statistics	p-value	Null hypothesis	Chi Squared test	p-value	Null hypothesis
Delta	1.3480	0.1323	not rejected	23.6846	0.2085	not rejected
Negative	1.1096	0.3322	not rejected	16.5135	0.6228	not rejected
Positive	1.1145	0.3268	not rejected	25.4415	0.1465	not rejected


This table presents estimates from ANOVA and Kruskal-Wallis tests for statistical differences in the frequency of abnormal returns between different years. The first column reports data used for calculations (The “Negative” parameter refers to the frequency of negative abnormal returns; “Positive” parameter refers to the frequency of positive abnormal returns; and “Delta” parameter shows estimates for the difference between the frequency of positive and negative abnormal returns.), the second, the third and the fourth columns present ANOVA tests estimates: F values, p-values and Null hypothesis status respectively; the fifth, the sixth and the seventh columns present Kruskal-Wallis tests estimates: Chi Squared test, p-values and Null hypothesis status respectively.

Figure 1: The frequency of abnormal returns by month: the case of EURUSD




This figure presents frequency of abnormal returns divided by months during all the sample period for the case of EURUSD. The “Negative” parameter refers to the frequency of negative abnormal returns; “Positive” parameter refers to the frequency of positive abnormal returns; and “Delta” parameter shows estimates for the difference between the frequency of positive and negative abnormal returns.

Figure 2: The delta frequency parameter by month




This figure presents the delta frequency parameter divided by months during all the sample period for all of the analyzed instruments. The “Delta” parameter shows estimates for the difference between the frequency of positive and negative abnormal returns.

Figure 3: Average frequency of abnormal returns (positive + negative) per year



This figure presents average frequency of abnormal returns per year in the FOREX (based on all exchange rates considered) during all the sample period. The “Average” parameter shows estimates for the sum of the frequency of positive and negative abnormal returns.

Figure 4: The frequency of abnormal (positive and negative) returns and the delta frequency by year: the case of EURUSD



This figure presents the frequency of abnormal (positive and negative) returns and the delta frequency parameter divided by year during all the sample period for the case of EURUSD. The “Negative” parameter refers to the frequency of negative abnormal returns; “Positive” parameter refers to the frequency of positive abnormal returns; and “Delta” parameter shows estimates for the difference between the frequency of positive and negative abnormal returns.

Appendix A

Frequency distribution in the FOREX

TableA.1: Frequency distribution in the FOREX, 1994-2019

Plot	Frequency						
	EURUSD	GBPUSD	USDJPY	USDCAD	AUDUSD	EURJPY	GBPCHF
<-0,025	6	8	33	4	31	31	10
-0,02	13	14	20	7	41	51	18
-0,015	68	35	70	32	85	95	58
-0,01	249	171	239	143	323	280	201
-0,005	820	736	791	649	843	788	766
0	2096	2317	2090	2459	1828	1821	2143
0,005	2155	2259	2030	2464	2031	1997	2241
0,01	792	768	859	600	940	858	805
0,015	253	191	246	131	279	274	177
0,02	66	31	68	32	82	93	32
0,025	15	10	21	14	28	31	22
>0,025	11	2	15	9	23	22	11

This table presents estimates of the frequency distribution for returns in FOREX (selected assets) over the period 01.01.1994-31.05.2019. The first column reports the values for FOREX returns, the other columns the corresponding frequency.

Figure A.1: Frequency distribution of EURUSD, 1994-2019




Figure A.2: Frequency distribution of GBPUSD, 1994-2019




Figure A.3: Frequency distribution of USDJPY, 1994-2019




Figure A.4: Frequency distribution of USDCAD, 1994-20189




Figure A.5: Frequency distribution of AUDUSD, 1994-2019




Figure A.6: Frequency distribution of EURJPY, 1994-2019





Figure A.7: Frequency distribution of GBPCHF, 1994-2019



These figures present the frequency distribution estimates for FOREX returns (selected assets) over the period 01.01.1994-31.05.2019. The plot size is displayed on the x axis; the number of returns fitting the corresponding plot is displayed on the y axis.

Appendix B


Frequency of abnormal returns

Table B.1: Frequency of abnormal returns over the period 1994-2018, annual

Year	EURUSD	GBPUSD	USDJPY	USDCAD	AUDUSD	EURJPY	GBPCHF	Aver
1994	33	30	28	30	32	31	31	31
1995	37	34	35	40	43	47	35	39
1996	39	40	34	31	39	45	43	39
1997	43	38	36	35	34	36	40	37
1998	39	43	47	42	39	45	39	42
1999	46	39	29	49	33	40	43	40
2000	44	44	39	47	40	21	43	40
2001	38	43	42	45	45	37	49	43
2002	37	42	37	51	42	35	43	41
2003	46	43	39	46	42	42	49	44
2004	48	53	45	47	50	48	54	49
2005	46	42	42	31	47	46	45	43
2006	42	45	37	46	39	43	32	41
2007	47	45	41	47	37	52	52	46
2008	54	57	49	49	46	42	52	50
2009	34	41	37	39	44	38	34	38
2010	44	48	36	41	41	41	42	42
2011	40	45	32	45	44	42	33	40
2012	40	41	47	37	39	44	40	41
2013	32	43	47	43	47	44	46	43
2014	45	39	38	45	40	39	41	41
2015	45	44	35	40	45	39	32	40
2016	42	41	39	40	43	41	41	41
2017	36	36	37	37	35	36	43	37
2018	51	42	34	46	44	39	42	43

This table presents the frequency of abnormal returns estimates for all analyzed instruments over the period 1994-2018. The first column reports the years; the rest shows estimates for overall frequency of abnormal returns per year (both negative and positive) for each currency pair used in this paper.

Figure B.1: Frequency of abnormal returns: dynamic analysis over the period 1994-2018, annual data



This figure presents frequency of abnormal returns estimates in FOREX over the period 1994-2018 for the case of overall frequency of abnormal returns per year (both negative and positive). The frequency of abnormal returns parameter is displayed on the y axis; the year is displayed on the x axis.

Appendix C

Stationarity tests

Table C.1: Augmented Dickey-Fuller test: EURUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-16.597 (0.0000)	-15.377 (0.0000)	-17.008 (0.0000)	-17.226 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.63 (0.0000)	-15.42 (0.0000)	-16.96 (0.0000)	-17.21 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.09 (0.46)	0.35 (0.46)	0.27 (0.46)	0.28 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-16.574 (0.0000)	-15.460 (0.0000)	-17.104 (0.0000)	-17.234 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.61 (0.0000)	-15.50 (0.0000)	-17.03 (0.0000)	-17.23 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.08 (0.14)	0.13 (0.14)	0.04 (0.14)	0.12 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-7.996 (0.0000)	-8.261 (0.0000)	-11.697 (0.0000)	-8.411 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-142.31 (0.0001)	-126.81 (0.0001)	-139.16 (0.0001)	-120.71 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.11 (0.46)	0.10 (0.46)	0.36 (0.46)	0.07 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.2: Augmented Dickey-Fuller test: GBRUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-7.444 (0.0000)	-8.354 (0.0000)	-7.318 (0.0000)	-13.866 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-17.31 (0.0000)	-16.94 (0.0000)	-18.62 (0.0000)	-18.09 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.15 (0.46)	0.24 (0.46)	0.41 (0.46)	0.15 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-7.539 (0.0000)	-8.346 (0.0000)	-7.481 (0.0000)	-13.875 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-17.36 (0.0000)	-17.01 (0.0000)	-18.73 (0.0000)	-18.10 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.03 (0.14)	0.03 (0.14)	0.13 (0.14)	0.12 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-8.904 (0.0000)	-9.296 (0.0000)	-8.297 (0.0000)	-7.928 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-126.62 (0.0001)	-121.31 (0.0001)	-124.24 (0.0001)	-147.38 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.08 (0.46)	0.10 (0.46)	0.17 (0.46)	0.16 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.3: Augmented Dickey-Fuller test: EURJPY returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-17.267 (0.0000)	-16.921 (0.0000)	-19.612 (0.0000)	-17.412 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-17.32 (0.0000)	-17.03 (0.0000)	19.78 (0.0000)	-17.34 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.04 (0.46)	0.27 (0.46)	0.26 (0.46)	0.13 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-17.241 (0.0000)	-17.031 (0.0000)	-19.661 (0.0000)	-17.446 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-17.29 (0.0000)	-17.13 (0.0000)	-19.88 (0.0000)	-17.39 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.04 (0.14)	0.03 (0.14)	0.09 (0.14)	0.06 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-8.705 (0.0000)	-9.705 (0.0000)	-9.488 (0.0000)	-9.016 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-155.89 (0.0001)	-117.71 (0.0001)	-322.85 (0.0001)	-134.11 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.41 (0.46)	0.03 (0.46)	0.10 (0.46)	0.24 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.4: Augmented Dickey-Fuller test: USDJPY returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-8.833 (0.0000)	-15.777 (0.0000)	-19.614 (0.0000)	-8.697 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.85 (0.0000)	-15.75 (0.0000)	-19.62 (0.0000)	-16.56 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.07 (0.46)	0.13 (0.46)	0.25 (0.46)	0.06 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-8.816 (0.0000)	-15.791 (0.0000)	-19.656 (0.0000)	-8.696 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.82 (0.0000)	-15.76 (0.0000)	-19.66 (0.0000)	-16.54 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.07 (0.14)	0.05 (0.14)	0.11 (0.14)	0.05 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-7.006 (0.0000)	-10.180 (0.0000)	-10.182 (0.0000)	-9.821 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-133.61 (0.0001)	-134.25 (0.0001)	-143.20 (0.0001)	-164.66 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.15 (0.46)	0.09 (0.46)	0.16 (0.46)	0.13 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.5: Augmented Dickey-Fuller test: GBRCHF returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-19.056 (0.0000)	-17.746 (0.0000)	-18.303 (0.0000)	-18.060 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-19.05 (0.0000)	-17.78 (0.0000)	-18.34 (0.0000)	-18.00 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.17 (0.46)	0.22 (0.46)	0.17 (0.46)	0.27 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-19.098 (0.0000)	-17.795 (0.0000)	-18.295 (0.0000)	-18.100 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-19.07 (0.0000)	-17.83 (0.0000)	-18.33 (0.0000)	-18.08 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.06 (0.14)	0.07 (0.14)	0.12 (0.14)	0.13 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-9.991 (0.0000)	-10.070 (0.0000)	-8.841 (0.0000)	-8.800 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-169.65 (0.0001)	-290.30 (0.0001)	-132.98 (0.0001)	-100.53 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.42 (0.46)	0.22 (0.46)	0.10 (0.46)	0.11 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.6: Augmented Dickey-Fuller test: AUDUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-16.166 (0.0000)	-16.478 (0.0000)	-17.065 (0.0000)	-14.451 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.31 (0.0000)	-16.56 (0.0000)	-17.14 (0.0000)	-18.69 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.10 (0.46)	0.25 (0.46)	0.31 (0.46)	0.17 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-16.146 (0.0000)	-16.553 (0.0000)	-17.167 (0.0000)	-14.441 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-16.29 (0.0000)	-16.64 (0.0000)	-17.25 (0.0000)	-18.68 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.10 (0.14)	0.06 (0.14)	0.02 (0.14)	0.15 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-8.133 (0.0000)	-9.462 (0.0000)	-8.049 (0.0000)	-9.528 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-149.41 (0.0001)	-127.56 (0.0001)	-134.26 (0.0001)	-138.67 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.09 (0.46)	0.07 (0.46)	0.11 (0.46)	0.07 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

Table C.7: Augmented Dickey-Fuller test: USDCAD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Stationarity tests (Intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-7.789 (0.0000)	-18.762 (0.0000)	-8.534 (0.0000)	-17.537 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-18.30 (0.0000)	-18.82 (0.0000)	-17.85 (0.0000)	-17.76 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.17 (0.46)	0.23 (0.46)	0.17 (0.46)	0.22 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Trend and intercept)				
Augmented Dickey-Fuller test statistic (Probability)	-7.815 (0.0000)	-18.796 (0.0000)	-8.540 (0.0000)	-17.621 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-18.30 (0.0000)	-18.86 (0.0000)	-17.83 (0.0000)	-17.79 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.12 (0.14)	0.09 (0.14)	0.14 (0.14)	0.09 (0.14)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected
Stationarity tests (Intercept, 1-st difference)				
Augmented Dickey-Fuller test statistic (Probability)	-10.090 (0.0000)	-7.367 (0.0000)	-8.537 (0.0000)	-9.266 (0.0000)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
Phillips-Perron test statistic (Probability)	-106.34 (0.0001)	-202.74 (0.0001)	-106.60 (0.0001)	-150.62 (0.0001)
Null hypothesis (Data set has a unit root)	rejected	rejected	rejected	rejected
KPSS test statistic (critical value)	0.31 (0.46)	0.12 (0.46)	0.20 (0.46)	0.26 (0.46)
Null hypothesis (Data set is stationary)	not rejected	not rejected	not rejected	not rejected

These tables present the results of the **Stationary tests (Augmented Dickey-Fuller, Phillips-Perron and KPSS)**. The first specifies the parameter of the **Stationarity test** being considered, the second column shows the results for returns (“returns”); the third column for delta frequency data (“delta”); the fourth column shows parameter estimates for negative abnormal returns (“Negative”) and the fifth column for positive abnormal returns (“Positive”). The Lag Length was chosen on the basis of the Akaike information criterion. The results are significant at the 5% level.

Appendix D

Cross-correlation analysis




Figure D.1: Cross-correlation between EURUSD returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.2: Cross-correlation between GBPUSD returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.3: Cross-correlation between EURJPY returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.4: Cross-correlation between USDJPY returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.5: Cross-correlation between GBPCHF returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.6: Cross-correlation between AUDUSD returns and frequency of abnormal returns over the whole sample period for different leads and lags




Figure D.7: Cross-correlation between USDCAD returns and frequency of abnormal returns over the whole sample period for different leads and lags

These figures display the correlation coefficients between returns and the frequency of negative abnormal returns (“negative over”) as well as the frequency of positive abnormal returns (“positive over”) over the whole sample period with lags in the interval $[-10 \dots +10]$.

Appendix E

Regression analysis

Table E.1: Regression analysis results: the case of EURUSD

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	-0.0005 (0.632)	-0.0035 (0.147)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0109 (0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0101 (0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0119 (0.000)
F-test	400.533 (0.000)	201.828 (0.000)
Multiple R	0.7577	0.759

* P-values are in parentheses

Table E.2: Regression analysis results: the case of GBRUSD

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	-0.0011(0.221)	0.0029(0.154)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0091(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0102(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0079(0.000)
F-test	363.993(0.000)	186.8131(0.000)
Multiple R	0.7420	0.7469

* P-values are in parentheses

Table E.3: Regression analysis results: the case of EURJPY

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal
-----------	----------------------------------	---

		returns as separate variables
a_0	0.0022(0.113)	0.0069(0.0122)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0133(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0144(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0117(0.000)
F-test	293.817(0.000)	150.316(0.000)
Multiple R	0.7051	0.7098

* P-values are in parentheses

Table E.4: Regression analysis results: the case of USDJPY

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	0.0002(0.818)	0.0025(0.3187)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0116(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0123(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0109(0.000)
F-test	336.758(0.000)	168.9291(0.000)
Multiple R	0.7289	0.7300

* P-values are in parentheses

Table E.5: Regression analysis results: the case of GBRCHE

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	0.0009(0.437)	0.0072(0.005)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0100(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0115(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0078(0.000)
F-test	235.161(0.000)	123.9794(0.000)
Multiple R	0.6647	0.6751

* P-values are in parentheses

Table E.6: Regression analysis results: the case of AUDUSD

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	0.0040(0.004)	0.013(0.000)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0124(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0146(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0093(0.000)
F-test	281.889(0.000)	150.6391(0.000)
Multiple R	0.6978	0.7102

* P-values are in parentheses

Table E.7: Regression analysis results: the case of USDCAD

Parameter	Frequency delta abnormal returns	Frequency of negative and positive abnormal returns as separate variables
a_0	-0.0003(0.740)	-0.0050(0.022)
Slope for the abnormal returns (<i>case of delta abnormal returns</i>)	0.0091(0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.0076(0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.0104(0.000)
F-test	322.329(0.000)	166.5997(0.000)
Multiple R	0.7214	0.7277

* P-values are in parentheses

These tables present the coefficient estimates and p-values (in parentheses) from the regression models. The second column reports the parameter estimates for delta frequency, the third for the frequency of both positive and negative abnormal returns as separate variables.

Appendix F

Logit and Probit regression analysis

Table F.1: Logit and Probit regression analysis results: the case of EURUSD

Parameter	Logit		Probit	
a_0	-0.0031 (0.982)	-0.1141 (0.723)	-0.0044 (0.958)	-0.0816 (0.674)
Slope for the abnormal returns (<i>case of frequency delta</i>)	0.9365 (0.000)	-	0.5501 (0.000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.9029 (0.000)	-	-0.5276 (0.000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.9718 (0.000)	-	0.5747 (0.000)
McFadden R-squared	0.2994	0.2998	0.3003	0.3007
Akaike AIC	294.185	296.037	293.832	295.636
The number of “correctly predicted” cases, %	73.9	73.9	73.9	73.9
LR statistic	124.046 (0.000)	124.194 (0.000)	124.399 (0.000)	124.594 (0.000)

Table F.2: Logit and Probit regression analysis results: the case of GBRUSD

Parameter	Logit		Probit	
a_0	-0.0847 (0.4670)	-0.1408 (0.6473)	-0.0528 (0.4679)	-0.0814 (0.6589)
Slope for the abnormal returns (<i>case of frequency delta</i>)	0.1115 (0.0684)	-	0.0699 (0.0671)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-1.1166 (0.0000)	-	-0.6530 (0.0000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	1.0821 (0.0000)	-	0.6320 (0.0000)
McFadden R-squared	0.0081	0.3358	0.0081	0.3375
Akaike AIC	414.715	281.038	414.706	280.338
The number of “correctly predicted” cases, %	53.5	76.3	53.5	76.3
LR statistic	3.382 (0.0659)	139.058 (0.0000)	3.390 (0.0656)	139.759 (0.0000)

Table F.3: Logit and Probit regression analysis results: the case of EURJPY

Parameter	Logit		Probit	
a_0	0.4118 (0.0044)	0.5772 (0.0270)	0.2437 (0.0039)	0.3622 (0.0197)
Slope for the abnormal returns (<i>case of frequency delta</i>)	0.9569 (0.0000)	-	0.5585 (0.0000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-1.0008 (0.0000)	-	-0.5910 (0.0000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.8914 (0.0000)	-	0.5151 (0.0000)
McFadden R-squared	0.2741	0.2755	0.2740	0.2760

Akaike AIC	301.882	303.296	301.940	303.107
The number of “correctly predicted” cases, %	73.2	73.2	73.2	73.2
LR statistic	112.513 (0.0000)	113.099 (0.0000)	112.455 (0.0000)	113.288 (0.0000)

Table F.4: Logit and Probit regression analysis results: the case of USDJPY

Parameter	Logit		Probit	
a_0	0.0446 (0.7612)	-0.2121 (0.4591)	0.0258 (0.7639)	-0.1018 (0.5528)
Slope for the abnormal returns (<i>case of frequency delta</i>)	1.0724 (0.0000)	-	0.6154 (0.0000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.9977 (0.0000)	-	-0.5765 (0.0000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	1.1823 (0.0000)	-	0.6659 (0.0000)
McFadden R-squared	0.3241	0.3267	0.3224	0.0114
Akaike AIC	184.105	285.010	284.806	286.065
The number of “correctly predicted” cases, %	73.2	76.6	73.2	76.6
LR statistic	134.313 (0.0000)	135.408 (0.0000)	133.612 (0.0000)	134.353 (0.0000)

Table F.5: Logit and Probit regression analysis results: the case of GBRCHF

Parameter	Logit		Probit	
a_0	0.0686 (0.6317)	0.6066 (0.0408)	0.0358 (0.6697)	0.3606 (0.0422)
Slope for the abnormal returns (<i>case of frequency delta</i>)	0.9568 (0.0000)	-	0.5608 (0.0000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-1.1082 (0.0000)	-	-0.6503 (0.0000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	0.7748 (0.0000)	-	0.4512 (0.0000)
McFadden R-squared	0.2801	0.2909	0.2802	0.0001
Akaike AIC	301.825	299.382	301.798	299.4012
The number of “correctly predicted” cases, %	75.3	75.3	75.3	75.3
LR statistic	115.924 (0.0000)	120.367 (0.0000)	115.951 (0.0000)	120.348 (0.0000)

Table F.6: Logit and Probit regression analysis results: the case of AUDUSD

Parameter	Logit		Probit	
a_0	0.3401 (0.0265)	0.3234 (0.2964)	0.2009 (0.0238)	0.2045 (0.2666)
Slope for the abnormal returns (<i>case of Frequency delta</i>)	1.0510 (0.0000)	-	0.6198 (0.0000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-1.0467 (0.0000)	-	-0.6207 (0.0000)

Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	1.0577 (0.0000)	-	0.6184 (0.0000)
McFadden R-squared	0.3310	0.3310	0.3330	0.3330
Akaike AIC	281.223	283.220	280.394	282.393
The number of “correctly predicted” cases, %	77.6	77.6	77.6	77.6
LR statistic	137.194 (0.0000)	137.198 (0.0000)	138.024 (0.0000)	138.025 (0.0000)

Table F.7: Logit and Probit regression analysis results: the case of USDCAD

Parameter	Logit		Probit	
a_0	-0.0701 (0.6359)	-0.3481 (0.2885)	-0.0326 (0.7041)	-0.1969 (0.3044)
Slope for the abnormal returns (<i>case of frequency delta</i>)	1.0390 (0.0000)	-	0.6073 (0.0000)	-
Slope for the abnormal returns (<i>case of negative abnormal returns</i>)	-	-0.9524 (0.0000)	-	-0.5576 (0.0000)
Slope for the abnormal returns (<i>case of positive abnormal returns</i>)	-	1.1250 (0.0000)	-	0.6570 (0.0000)
McFadden R-squared	0.3253	0.3275	0.3255	0.3277
Akaike AIC	283.629	284.719	283.571	284.647
The number of “correctly predicted” cases, %	77.6	77.9	77.6	77.9
LR statistic	134.869 (0.0000)	135.779 (0.0000)	134.927 (0.0000)	135.851 (0.0000)

These tables present results for monthly price closes regressed against frequency of negative and positive abnormal returns as well as delta frequency. Coefficient estimates and p-values (in parentheses) from regression models are provided in these tables. The first column reports the model parameters, the second and third the estimates from the Logit models, and the fourth and fifth those from the Probit models.

Appendix G

Granger Causality Tests

Table G.1: Granger Causality Tests between returns and frequency of negative and positive abnormal returns and delta frequency

X	Y (returns)			Y (returns)			Y (returns)		
	Chi-sq	Probability	Null Hypothesis	Chi-sq	Probability	Null Hypothesis	Chi-sq	Probability	Null Hypothesis
Negative	1.63	0.20	not rejected	0.59	0.44	not rejected	0.06	0.80	not rejected
Positive	0.20	0.65	not rejected	0.00	0.99	not rejected	1.92	0.17	not rejected
Delta	2.18	0.14	not rejected	0.38	0.54	not rejected	1.97	0.16	not rejected
Y	X (returns)			X (returns)			X (returns)		
Negative	2.11	0.15	not rejected	2.48	0.11	not rejected	0.45	0.50	not rejected
Positive	0.00	0.98	not rejected	0.00	0.94	not rejected	6.00	0.01	rejected
Delta	0.75	0.38	not rejected	0.22	0.64	not rejected	0.00	0.99	not rejected
USDCAD									
X	Y (returns)			Y (returns)			Y (returns)		
	Chi-sq	Probability	Null Hypothesis	Chi-sq	Probability	Null Hypothesis	Chi-sq	Probability	Null Hypothesis
Negative	0.62	0.43	not rejected	2.35	0.12	not rejected	0.07	0.79	not rejected
Positive	0.24	0.62	not rejected	0.09	0.76	not rejected	1.61	0.20	not rejected
Delta	0.07	0.78	not rejected	0.94	0.33	not rejected	1.98	0.16	not rejected
Y	X (returns)			X (returns)			X (returns)		
Negative	0.21	0.65	not rejected	1.55	0.21	not rejected	0.40	0.52	not rejected
Positive	0.86	0.35	not rejected	1.65	0.20	not rejected	0.79	0.37	not rejected
Delta	0.00	0.94	not rejected	1.01	0.32	not rejected	2.36	0.12	not rejected
GBPCHF									
Parameter	Y (returns)			X (returns)					
	Chi-sq	Probability	Null Hypothesis	Chi-sq	Probability	Null Hypothesis			
Negative	0.93	0.33	not rejected	0.00	0.99	not rejected			
Positive	0.12	0.72	not rejected	0.00	0.97	not rejected			
Delta	1.19	0.27	not rejected	0.14	0.70	not rejected			

Appendix H

Distribution of returns: actual vs estimated (from the regression model and the actual data)




Figure H.1: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of EURUSD




Figure H.2: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of GBPUSD




Figure H.3: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of USDJPY




Figure H.4: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of USDCAD




Figure H.5: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of AUDUSD




Figure H.6: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of EURJPY




Figure H.7: Distribution of returns: actual vs estimated (from the regression model and the actual data): case of GBPCHF

These figures display the comparison between actual and estimated returns over the whole sample period.

Appendix I

Phillips and Perron test

Table I.1: Phillips and Perron test: EURUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-16.63	-15.42	-16.96	-17.21
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-16.61	-15.50	-17.03	-17.23
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-142.31	-126.81	-139.16	-120.71
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.2: Phillips and Perron test: GBPUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-17.31	-16.94	-18.62	-18.09
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-17.36	-17.01	-18.73	-18.10
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-126.62	-121.31	-124.24	-147.38
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.3: Phillips and Perron test: EURJPY returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-17.32	-17.03	19.78	-17.34
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-17.29	-17.13	-19.88	-17.39
Probability	0.0000	0.0000	0.0000	0.0000

Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-155.89	-117.71	-322.85	-134.11
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.4: Phillips and Perron test: USDJPY returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-16.85	-15.75	-19.62	-16.56
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-16.82	-15.76	-19.66	-16.54
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-133.61	-134.25	-143.20	-164.66
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.5: Phillips and Perron test: GBPCHE returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-19.05	-17.78	-18.34	-18.00
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-19.07	-17.83	-18.33	-18.08
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-169.65	-290.30	-132.98	-100.53
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.6: Phillips and Perron test: AUDUSD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-16.31	-16.56	-17.14	-18.69
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected

Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-16.29	-16.64	-17.25	-18.68
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-149.41	-127.56	-134.26	-138.67
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected

Table I.7: Phillips and Perron test: USDCAD returns and abnormal returns frequency data

Parameter	returns	delta	negative	positive
Phillips and Perron test (Intercept)				
Phillips-Perron test statistic	-18.30	-18.82	-17.85	-17.76
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron test (Trend and intercept)				
Phillips-Perron test statistic	-18.30	-18.86	-17.83	-17.79
Probability	0.0000	0.0000	0.0000	0.0000
Null hypothesis	rejected	rejected	rejected	rejected
Phillips and Perron (Intercept, 1-st difference)				
Phillips-Perron test statistic	-106.34	-202.74	-106.60	-150.62
Probability	0.0001	0.0001	0.0001	0.0001
Null hypothesis	rejected	rejected	rejected	rejected